

ORDINANCE NO. 110-1984

AN ORDINANCE AMENDING CHAPTER 10, " FIRE PROTECTION AND PREVENTION," BY AMENDING CERTAIN SECTIONS AS SET OUT BELOW; PROVIDING A SEVERABILITY CLAUSE; AND DECLARING A PENALTY.

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF ABILENE, TEXAS:

PART 1: That Chapter 10, " Fire Protection and Prevention", of the Abilene Municipal Code be amended as set out in Exhibit "A," attached hereto and made a part of this ordinance for all purposes.

PART 2: That if any provision or any section of this ordinance shall be held to be void or unconstitutional such holding shall in no way affect the validity of the remaining provisions or sections of this ordinance, which shall remain in full force and effect.

PART 3: That any person, firm or corporation violating any of the provisions of this chapter shall be deemed guilty of a misdemeanor, and upon conviction thereof, shall be punished by a fine of not more than Two Hundred Dollars (\$200.00). Each day such violation shall continue, or be permitted to continue, shall be deemed a separate offense. Said ordinance, being a penal ordinance, becomes effective ten (10) days after its publication in the newspaper as provided by Section 19 of the Charter of the City of Abilene, Texas.

PASSED ON FIRST READING this 1st day of November, A.D. 19 84.

PASSED ON SECOND AND FINAL READING this 15 day of November, A.D. 19 84.

ATTEST:

Patricia Patton
CITY SECRETARY

David Stubbins
MAYOR

APPROVED:

Henry Landers
CITY ATTORNEY

EXHIBIT "A"

ORDINANCE NO. 110-1984

PART 1: Amend Article 32, "Fire Prevention Code", Section 10-46, by amending Section 32.101 of the 1979 Uniform Fire Code as follows:

Delete Section 32.101 : For permits to erect or operate a tent or air-supported structure covering an area in excess of 200 square feet, see Section 4.101.

and substitute therefore: For permits to erect or operate a tent or air-supported structure covering an area in excess of 400 square feet or 1600 square feet when open on three or more sides, see Section 4.101. Even though a permit is not required, tents and air-supported structures shall be fire retardant as per Section 32.106.

PART 2: Amend Article 32, "Fire Prevention Code", Section 10-46, by amending Section 32.103 of the 1979 Uniform Fire Code as follows:

Delete Section 32.103 : Automotive equipment that is necessary to the operation of the establishment shall not be parked within 20 feet of the tent or air-supported structure except by special permission of the Chief. No other automotive equipment or internal combustion engines shall be parked within 100 feet of the tent except upon a public street.

and substitute therefore: Automotive equipment that is necessary to the operation of the establishment shall not be parked within 20 feet of the tent or air-supported structure except by special permission of the Chief. No other automotive equipment or internal combustion engines shall be parked within 30 feet of the tent except upon a public street.

PART 3: Amend Article 32, "Fire Prevention Code", Section 10-46, by amending Section 32.104 (b) of the 1979 Uniform Fire Code as follows:

Delete Section 32.104 (b): Tents or air-supported structures having a floor area in excess of 1500 square feet but less than 15,000 square feet shall be located not less than 30 feet from any other tent, air-supported structure or structure.

and substitute therefore: Tents or air-supported structures having a floor area in excess of 3000 square feet but less than 15,000 square feet shall be located not less than 30 feet from any other tent, air-supported structure or structure.

-END-