

AN ORDINANCE AMENDING CHAPTER 8, "CONSTRUCTION REGULATIONS," ARTICLE IV, "UNIFORM CODES AND OTHER REGULATIONS," DIVISION 4, "PLUMBING," OF THE ABILENE MUNICIPAL CODE, BY AMENDING CERTAIN SECTIONS AS SET OUT BELOW; PROVIDING A SEVERABILITY CLAUSE; AND DECLARING A PENALTY.

WHEREAS, on November 15, 19 84, the Council adopted a new Plumbing Code, but inadvertently page 12 of the attached Exhibit A was left out.

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF ABILENE, TEXAS:

PART 1: That Chapter 8, Article IV, Division 4, "Plumbing," of the Abilene Municipal Code be amended as set out in Exhibit "A," attached hereto and made a part of this ordinance for all purposes.

PART 2: That if any provision or any section of this ordinance shall be held to be void or unconstitutional such holding shall in no way effect the validity of the remaining provisions or sections of this ordinance, which shall remain in full force and effect.

PART 3: That any person, firm or corporation violating any of the provisions of this chapter shall be deemed guilty of a misdemeanor, and upon conviction thereof, shall be punished by a fine of not more than Two Hundred Dollars (\$200.00). Each day such violation shall continue or be permitted to continue, shall be deemed a separate offense. Said Ordinance, being a penal ordinance, becomes effective ten (10) days after its publication in the newspaper, as provided by Section 19 of the Charter of the City of Abilene.

PASSED ON FIRST READING this 14 day of February, A.D. 19 85.

PASSED ON SECOND AND FINAL READING this 28 day of February, A.D. 19 85.

ATTEST:

Patricia Patton  
CITY SECRETARY

David Stubbeman  
MAYOR

APPROVED:

Shirley Landers  
CITY ATTORNEY

the trap and each tubing trap shall have the gauge of the tubing in addition to the manufacturer's name. Every trap shall have a smooth and uniform interior waterway.

Section 708 (b) Industrial Interceptors. Delete in its entirety and add:

Section 708 (b) Approval. The size, type and location of each interceptor (clarifier) or separator shall be approved by the Administrative Authority, in accordance with its standards. Except where otherwise specifically permitted, no waste other than those requiring treatment or separation shall be discharged into any interceptor (clarifier). Waste in excess of 120° F (48.9° C) shall not discharge into a grease trap.

Section 710. Minimum Requirements for Auto Wash Racks. Delete in its entirety and add:

Section 710. Car Wash Facilities, Service Stations and Similar Installations. All wash facilities shall be protected from rain and runoff with discharge into the sanitary sewer. The proper grease, oil and sand traps should be installed to meet the Uniform Plumbing Code and the Industrial Waste Ordinance standards.

#### CHAPTER 8

Adopt 1982 Uniform Plumbing Code in its entirety with the following exceptions:

Section 802 (i) Types of Joints. Delete in its entirety.

#### CHAPTER 9

Adopt 1982 Uniform Plumbing Code in its entirety with the following exceptions:

Section 904 Strainers and Connections.

Section 904 (b) Connections. Delete in its entirety and add:

Section 904 (b) Connections. Fixtures having concealed slip-joint connections shall be provided with an access panel or utility space at least twelve (12) inches (.3 m) in its least dimension and so arranged without obstructions as to make such connections readily accessible for inspection and repair. Provided however, that concealed fixture connections of drawn brass tubing not less than 20 gauge (.045") (1.1 mm) and made without slip-joints need not be provided with access panels.

#### CHAPTER 10

Adopt 1982 Uniform Plumbing Code in its entirety with the following exceptions: